

AVN2210p Audio Software Upgrade Instruction

1. Create Upgrade Disc

Burn “VSCAT.DAT” downloaded from ECLIPSE website in the root of a CDR.

NOTE: Please refer to the instructions of your CD burner.

2. Upgrade your AVN2210p with the disc created at step 1.

- a) Turn the car key to the ACC position and make sure that your AVN2210p turns on.
- b) Press the “▲/TILT” button to open the front panel and if there is another disc inserted, eject it.



- c) Insert the upgrade disc. The front panel will close automatically.



- d) Wait for “NO SUPPORT” to be displayed.



- e) Press and hold the SOURCE/PWR button until "ALL OFF" is displayed. And, release the SOURCE/PWR button.



- f) Press the "^" button until a beep is audible.
- g) Upgrading starts after the beep and will take 2 to 3 minutes to complete. **IMPORTANT: The key should remain at the ACC position while the upgrade is in process.**
- h) The AVN2210p restarts automatically once the upgrade has been completed. **NOTE: All the audio setting (preset stations of AM/FM, BASS, TREB, FADER, BALLANCE....) will be reset to initial values.**

3. Verify Software Version

- a) Press and hold the SOURCE/PWR button until "ALL OFF" is displayed. And, release the SOURCE/PWR button.
- b) Press ">" button 3 times while pressing the "BAND" and "TEXT" buttons.



- c) Press and hold the "MODE" button long enough until "TEST" is displayed.



- d) Press the "SOURCE/PWR" button until "BTVER202" ("202" may vary) is displayed.



- e) Press the "SOURCE/PWR" button twice to view the software version.



- f) If "APVER3A1" is displayed then correct software version has been successfully installed.
- g) Turn the car key to the OFF position and turn it back to the ACC position to start using your AVN2210p.